

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	240	retriev\$3 with (credential, token) and respon\$4 with (token, credential) with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:11
S2	9	retriev\$3 with (credential, token) and respon\$4 with (token, credential) with request and (mobile, pervasive, portable, wireless) with (discover\$3, detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:03
S4	143	retriev\$3 with (credential, token) and respon\$4 with (token, credential) with request and (credential, token) near2 (manager, store, gateway, proxy, server, host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:41
S5	132	retriev\$3 with (credential, token) and respon\$4 with (token, credential) with request and (credential, token) near2 (manager, store, gateway, proxy, server, host) and (obtain\$3, receiv\$3) with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:12
S6	32	retriev\$3 with (credential, token) and respon\$4 with (token, credential) with request and (credential, token) near2 (manager, store, gateway, proxy, server, host) with (obtain\$3, receiv\$3) with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:16
S7	11	(credential, token) near2 (manager, store, gateway, proxy, server, host) with (obtain\$3, receiv\$3) with request with (provid\$3) with (credential, token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:23
S8	23	(credential, token) near2 (manager, store, gateway, proxy, server, host, provider) with (obtain\$3, receiv\$3) with request with (provid\$3) with (credential, token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:25

EAST Search History

S9	22	(obtain\$3, receiv\$3) with (credential, token) near2 (manager, store, gateway, proxy, server, host, provider) and authentica\$3 with domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:34
S11	2	"6263435".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:35
S13	66	(central, authentication) near1 (credential, token) near2 (manager, store, gateway, proxy, provider, server, host) same request\$3 with (token, credential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 13:42
S15	111	(credential, token) near2 (manager, store, gateway, proxy, provider, server, host) with provid\$3 with (token, credential) same request\$3 with (token, credential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:14
S16	113	(credential, token) near2 (manager, store, gateway, proxy, provider, server, host, storage) with provid\$3 with (token, credential) same request\$3 with (token, credential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:16
S20	1	(submit\$3, transmit\$4, send\$3) with (credential, token) with (manager, store, gateway, proxy, provider, server, host, storage) same shar\$3 with (pervasive, mobile, wireless, portable) with (token, credential) same request\$3 with (token, credential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:19
S23	1	(submit\$3, transmit\$4, send\$3) with (credential, token) with (manager, store, gateway, proxy, provider, server, host, storage) same shar\$3 with (pervasive, mobile, wireless, portable) and (verif\$7, authentica\$3) near3 (domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:21

EAST Search History

S24	3	(submit\$3, transmit\$4, send\$3) with (credential, token) with (manager, store, gateway, proxy, provider, server, host, storage) same shar\$3 with (credential, token) with (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:22
S32	48	(retriev\$3, receiv\$3, obtain\$3, download\$3, request\$3) with (credential, token) with (manager, store, gateway, proxy, provider, server, host, storage) and shar\$3 with (credential, token) with (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 14:47
S36	33	(retriev\$3, obtain\$3, download) with (credential, token) with (central, shar\$3) near2 (database, server, storage, repository, gateway, host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:02
S46	60	(retriev\$3, obtain\$3, download\$3, receiv\$3, request\$3, register\$3) with (credential, token) with (database, server, storage, repository, gateway, host) and shar\$3 with (credential, token) same (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:10
S48	85	(retriev\$3, obtain\$3, download\$3, receiv\$3, request\$3, register\$3, stor\$3, distribut\$3) with (credential, token) with (database, server, storage, repository, gateway, host) and shar\$3 with (credential, token) same (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:14
S49	49	(register\$3, stor\$3, distribut\$3) with (credential, token) with (database, server, storage, repository, gateway, host) and (retriev\$3, obtain\$3, download\$3, receiv\$3, request\$3) with (credential, token) with (database, server, storage, repository, gateway, host) and shar\$3 with (credential, token) same (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:16

EAST Search History

S50	100	(register\$3, stor\$3, upload\$3) with (credential, token) with (database, server, storage, repository, gateway, host) and (retriev\$3, obtain\$3, download\$3, receiv\$3, request\$3) with (credential, token) with (database, server, storage, repository, gateway, host) and (shar\$3, distribut\$3) with (credential, token) same (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:25
S52	25	(register\$3, stor\$3, upload\$3) with (credential, token, certificate, ticket, pin, password,) with (database, server, storage, repository, gateway, host) and (retriev\$3) with (credential, token, certificate, ticket, pin, password) near5 (database, server, storage, repository, gateway, host) with request and (shar\$3, distribut\$3) with (credential, token, certificate, ticket, pin, password) same (pervasive, mobile, wireless, portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:31
S53	63	(register\$3, stor\$3, upload\$3) with (credential, token, certificate, ticket, pin, password,) with (database, server, storage, repository, gateway, host) and (retriev\$3) with (credential, token, certificate, ticket, pin, password) near5 (database, server, storage, repository, gateway, host) with request and (shar\$3, distribut\$3) with (credential, token, certificate, ticket, pin, password) and (pervasive, mobile, wireless, portable) with (environment, network, domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:41
S57	1	(register\$3, upload\$3) near3 (credential, token, pin, password) with (database, repository, server, gateway, store) and request\$3 with return\$3 with (credential, token, pin, password) with (database, repository, server, gateway, store) and (shar\$3, distribut\$3) with (domain, group, network) near3 (wireless, portable, pervasive, mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:55

EAST Search History

S58	4	(register\$3, upload\$3) near3 (credential, token, pin, password) with (database, repository, server, gateway, store) and return\$3 with (credential, token, pin, password) with (database, repository, server, gateway, store) and (shar\$3, distribut\$3) with (domain, group, network) near3 (wireless, portable, pervasive, mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 15:55
S59	22	(shar\$3) with (credential, token, pin, password) with (storage, database, gateway, server, host) same (domain, group, network) near3 (wireless, portable, pervasive, mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:01
S68	4	shar\$3 with (credential, token, password, pin) same (pervasive, mobile, wireless, portable) and central near2 database with (credential, token, password, pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:21
S69	11	shar\$3 with (credential, token, password, pin) same (pervasive, mobile, wireless, portable) and central near2 (database, server) with (credential, token, password, pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:23
S73	5	authentication near2 (server, host, gateway) with (provid\$3, retriev\$3) with (token, credential, ticket, certicate) same (pervasive, wireless, portable) with request\$3 with (token, credential, ticket, certicate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:30
S76	164	stor\$3 with (credential, token, password, pin) with (storage, server, database, gateway) and request\$3 with (credential, token, password, pin) with (pervasive, wireless, mobile, portable) near3 (client, device, user) and (verif\$3, determin\$3, authenticat\$3) with (pervasive, wireless, mobile, portable) near3 (client, device, user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 19:41
S77	69	(pervasive, wireless, mobile, portable) with domain and register\$3 with member	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 19:42

EAST Search History

S78	2	(pervasive, wireless, mobile, portable) with domain and register\$3 with member and discover\$3 with broadcast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 19:44
S80	12	(pervasive, wireless, mobile, portable) with domain and register\$3 with member and (discover\$3, locat\$3) and broadcast\$3 with message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 19:50
S81	2	(pervasive, wireless, mobile, portable) with domain and register\$3 with member and (broadcast\$3, send\$3, transmit\$4) with discover\$3 near3 (message, request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 19:51
S82	34	(pervasive, wireless, mobile, portable) with (domain, group) and register\$3 with member and (broadcast\$3, send\$3, transmit\$4) with discover\$3 near3 (message, request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 20:06
S86	3	encrypt\$3 with (token, credential) near3 request and encrypt\$3 with response and triple\$1des with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 22:18
S87	53	encrypt\$3 with request and encrypt\$3 with response and triple\$1des with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 22:18
S89	40	encrypt\$3 with request and encrypt\$3 with response and triple\$1des with key and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 22:20
S90	13	encrypt\$3 with request and encrypt\$3 with response and triple\$1des with key and hash near2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 22:19

EAST Search History

S92	12	register\$3 with password and secret and (hash\$\$3, fingerprint) near2 key and comparing near3 (hash, fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:30
S94	3	secret and (hash\$\$3, fingerprint) near key and comparing near3 (hash, fingerprint) and password adj encrypt\$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:48
S95	6	(hash\$\$3, fingerprint) adj2 key and comparing near3 (hash, fingerprint) and password adj encrypt\$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:50